

Cooperative Team Strategies for Multi-player Perimeter-Defense Games

Daigo Shishika*, James Paulos, and Vijay Kumar

Abstract—This paper studies a variant of the multi-player reach-avoid game played between intruders and defenders with applications to perimeter defense. The intruder team tries to score by sending as many intruders as possible to the target area, while the defender team tries to minimize this score by intercepting them. Finding the optimal strategies of the game is challenging due to the high dimensionality of the joint state space. Existing works have proposed approximation methods to reduce the design of the defense strategy into assignment problems, however, they suffer from either suboptimal defender performance or computational complexity. Based on a novel decomposition method, this paper proposes a scalable (polynomial-time) assignment algorithm that accommodates cooperative behaviors and outperforms the existing defense strategies. For a certain class of initial configurations, we derive the exact score by showing that the lower bound provided by the intruder team matches the upper bound provided by the defender team, which also proves the optimality of the team strategies.

I. INTRODUCTION

Surveillance of perimeters and securing perimeters are important tasks in civilian and military defense applications. It has become practical to deploy a large number of autonomous agents to address these problems using multi-robot systems. Approaches to counter intrusions by unmanned vehicles have been studied including detection and tracking mechanisms [1], patrolling (scheduling) schemes to visit points on the perimeter [2], and GPS spoofing to manipulate the behavior of the agents [3].

Scenarios with evasive targets who need to be detected, intercepted, or surrounded by other robots are often formulated as *pursuit-evasion games*. The two-player (one evader vs. one pursuer) version of these games may be formulated as a differential game and solved using the Hamilton-Jacobi-Isaacs equation [4]. However, the high dimensional state space of multi-player games can make this approach intractable. Multiple practical approaches to analyzing the multi-player game have been considered including Voronoi tessellation [5], [6], cyclic pursuit [7], and vehicle-routing formulation [8].

When a pursuer robot is tasked to defend a certain area/target against the evader, the pursuit-evasion game becomes the *target-guarding problem*, first introduced by Isaacs [4]. In these games the evader/intruder tries to reach the target without being intercepted, and the pursuer/defender’s goal is to either intercept the intruder or delay its intrusion indefinitely [9]–[12]. In this paper we study the multi-player version of the target-guarding problem, also called *reach-avoid games* [13]–[15].

We gratefully acknowledge the support of ARL grant ARL DCIST CRA W911NF-17-2-0181.

The authors are with GRASP Laboratory at the University of Pennsylvania {shishika, jpaulos, kumar}@seas.upenn.edu

In related work, the multi-player game has been approximated as the combination of two-player games [15]. All pairwise two-player games between agents can be solved using a differential-game formulation using numerical tools, even in the case of complex environment geometry. The authors then propose a team defense strategy that assigns to each defender one feasible intruder to capture. This assignment provides an upper-bound on the intruder’s score, but the obtained defense policy is potentially suboptimal because it can not consider cooperative maneuvers for capture.

Our prior work extended the assignment strategy by incorporating a cooperative behavior absent from two-player games: a pair of defenders employ a “pincer movement” to pursue an intruder from both sides [17]. Although the defense performance was improved, the policy required a solution to the maximum-independent-set problem which is NP-hard.

This paper extends the decomposition method first introduced in [17], and proposes a polynomial-time algorithm that outperforms the existing defense policies. We also discuss the optimality of the strategies by deriving a condition under which the lower-bound provided by the intruder team matches with the upper-bound provided by the defender team. To the best of our knowledge, we are the first to show such optimality (equilibrium strategies) in a pursuit-evasion game played between teams.

The two main contributions of this paper are (i) the polynomial-time defense strategy that outperforms the existing ones; and (ii) the analysis that shows the optimality of the proposed strategy, when the defenders have a numerical advantage and the initial configuration satisfies a certain condition. Our video (available at https://youtu.be/6zUPkzh_iPU) illustrates the complexity of the problem and the effectiveness of the strategy through multiple multi-robot simulations.

Section II formulates the problem. Section III reviews existing results that we use to build our method. Section IV presents the decomposition method. Section V introduces additional analyses that help us study multi-player games. Section VI proposes the defense policy and analyzes its performance. Section VII provides numerical results.

II. PROBLEM STATEMENT

This section formulates the reach-avoid game for robots defending a perimeter. The target $\mathcal{T} \subset \mathbb{R}^2$ is assumed to be a convex region on a plane, and its perimeter is given by an arc-length parameterized curve $\gamma : [0, L) \rightarrow \partial\mathcal{T}$, where L denotes the perimeter length. We use $s \in [0, L)$ to denote the arc-length position on the curve.

A set of N_D robot defenders $\mathbf{D} = \{D_i\}_{i=1}^{N_D}$ are constrained to move on the perimeter. We assume that the

defender robots must stay on the perimeter of the enclosed compound. The position of the i th defender is described by s_{D_i} or $\gamma(s_{D_i}) \in \partial\mathcal{T}$. The defender robot's control action is the signed speed; $\dot{s}_{D_i} = \omega_{D_i}$ with the constraint $|\omega_{D_i}| \leq \bar{v}_D$.

A set of N_A intruders $\mathbf{A} = \{A_j\}_{j=1}^{N_A}$ have first-order dynamics in \mathbb{R}^2 . The position of the j th intruder is denoted by $\mathbf{x}_{A_j} \in \mathbb{R}^2$, and its control action is the velocity; $\dot{\mathbf{x}}_{A_j} = \mathbf{v}_{A_j}$ with the constraint $\|\mathbf{v}_{A_j}\| \leq \bar{v}_A$. The ratio of the maximum speeds is described by

$$\nu = \frac{\bar{v}_A}{\bar{v}_D} \in (0, 1], \quad (1)$$

i.e., the defenders are at least as fast as the intruders. Also, this paper focuses on the case $N_A < N_D$ for conciseness.

An intruder is captured by a defender if their distance becomes zero: $\|\gamma(s_{D_i}) - \mathbf{x}_{A_j}\| = 0$. In a microscopic view, A_j scores if it reaches the target ($\mathbf{x}_{A_j} \in \partial\mathcal{T}$) without being captured by any of the defenders. In this work, we assume that the defender is consumed/eliminated when it captures one intruder. This is a reasonable assumption because [17] proves that the intruders have a strategy to ensure that one defender can not make multiple captures.

We assume perfect state-feedback information structure: i.e., the set of states $\mathbf{z} = [s_{D_1}, \dots, s_{D_{N_D}}, \mathbf{x}_{A_1}, \dots, \mathbf{x}_{A_{N_A}}]$ is known to every player. The team strategies Γ_D and Γ_A are mappings from the current states \mathbf{z} to the control actions $\omega_D = [\omega_{D_1}, \dots, \omega_{D_{N_D}}]$ and $\mathbf{v}_A = [\mathbf{v}_{A_1}, \dots, \mathbf{v}_{A_{N_A}}]$ respectively. Let $Q(\mathbf{z}_0; \Gamma_D, \Gamma_A) \in \mathbb{N}$ denote the final intruder score (i.e., the number of intrusion) for a given initial configuration \mathbf{z}_0 and the strategy set (Γ_D, Γ_A) .

Problem. What are the *equilibrium team strategies* Γ_A^* and Γ_D^* that satisfy

$$Q(\mathbf{z}_0; \Gamma_D^*, \Gamma_A) \leq Q(\mathbf{z}_0; \Gamma_D^*, \Gamma_A^*) \leq Q(\mathbf{z}_0; \Gamma_D, \Gamma_A^*), \quad (2)$$

for all permissible Γ_D and Γ_A , and what is the outcome of the game, $Q^*(\mathbf{z}_0) = Q(\mathbf{z}_0; \Gamma_D^*, \Gamma_A^*)$?

III. BACKGROUND

We examine two limiting cases from our prior work: single defense against one intruder, and pair defense against one intruder [17], [18]. We also review existing assignment-based defense strategies for the multiplayer game [15], [17].

A. One vs. One Game

Given the defender location s_D , the game space can be divided into intruder-winning region $\mathcal{R}_A(s_D)$ and the defender-winning region $\mathcal{R}_D(s_D)$, and the surface that separates the two is called the *barrier* [18].

If the game starts in a configuration $\mathbf{x}_A \in \mathcal{R}_A(s_D)$, then the intruder has a strategy to reach the perimeter without being captured. In the perimeter defense game, the barrier for the one vs. one (1v1) game is a closed curve that starts and ends at the defender position.

Property 1. The barrier consists of left and right barriers. Starting from a configuration $\mathbf{x}_A \in \mathcal{R}_D(s_D)$, the intruder cannot penetrate the left (resp. right) barrier so long as the defender is moving counter-clockwise (ccw) (resp. clockwise (cw)) [17], [18].




Fig. 1: Barriers in 1v1 game for a polygonal perimeter with $\nu = 0.7$. The intruder winning region $\mathcal{R}_A(s_D)$ is colored in red. (a) Initial configuration with $\mathbf{x}_A \in \mathcal{R}_D$. (b) Both players moved optimally and the intruder stays in the defender-winning region. (Also see supplemental video.)




Fig. 2: The intruder-winning region \mathcal{R}_C in the 2v1 game. (a) The intruder starts in $\mathcal{R}_{\text{pair}}$ and aims for the midpoint, while the defender robots perform the pincer maneuver. (b) The intruder eventually enters one of the defender winning regions (in this case $\mathcal{R}_D(D_i)$).

If the initial configuration is $\mathbf{x}_A \in \mathcal{R}_D(s_D)$, the defender can maneuver to keep the intruder inside of $\mathcal{R}_D(s_D)$. This implies that the intruder cannot enter $\mathcal{R}_A(s_D)$ – therefore cannot reach the perimeter – without being captured. The construction of the barrier and the feedback strategies are detailed in [17], [18], but only their existence is sufficient to complete the analysis in this paper.

B. Two vs. One Game

When we have two robot defenders, let D_i and D_j be the defender on the cw and the ccw side. For conciseness, we denote $\mathcal{R}_A(i)$ to mean $\mathcal{R}_A(s_{D_i})$. A naive extension of the 1v1 game will conclude that the intruder-winning region against a pair of defenders is

$$\mathcal{R}_I(i, j) = \mathcal{R}_A(i) \cap \mathcal{R}_A(j). \quad (3)$$

However, this is not the case because the intruder has to avoid both D_i and D_j simultaneously.

The actual intruder-winning region in the two vs. one (2v1) game is denoted by $\mathcal{R}_C(i, j)$. We use the subscript C for *cooperative*, whereas I is for *independent*. The boundary of $\mathcal{R}_C(i, j)$ consists of a combination of the left barrier of D_i , a circle centered at the midpoint of the two defenders, and the right barrier of D_j [18] (see Fig. 2).

The difference with $\mathcal{R}_I(i, j)$ is given by the *paired-defense region* defined as:

$$\mathcal{R}_{\text{pair}}(i, j) \triangleq \mathcal{R}_I(i, j) - \mathcal{R}_C(i, j). \quad (4)$$

Property 2. If $\mathbf{x}_A \in \mathcal{R}_{\text{pair}}(i, j)$, and if the defenders use a pincer maneuver $[\omega_{D_i}, \omega_{D_j}] = [\bar{v}_D, -\bar{v}_D]$, then $\mathbf{x}_A \in \mathcal{R}_D(i)$

or $\mathbf{x}_A \in \mathcal{R}_D(j)$ occurs before the intruder can reach the perimeter [17], [18].

If the game starts in a configuration $\mathbf{x}_A \in \mathcal{R}_C(i, j)$, then there exists a breaching point (near the midpoint between the two defenders) that the intruder can reach before the two defenders.

C. Existing Assignment Strategies

For a given initial configuration $\{\mathbf{x}_{A_i}\}_{i=1}^{N_A}$ and $\{\mathbf{x}_{D_j}\}_{j=1}^{N_D}$, the defender-winning regions can be used to determine a set of intruders that each defender can potentially win against.

Maximum Matching [15]: Consider a bipartite graph with \mathbf{D} and \mathbf{A} as two sets of nodes. We draw an edge between D_i and A_j if capture can be guaranteed: $\mathbf{x}_{A_j} \in \mathcal{R}_D(D_i)$. Maximum-cardinality Matching (MM) refers to finding a largest set of edges such that there is at most one edge extending from each node. By performing MM on this graph, we assign at most one intruder to each defender.

The cardinality of the matching, $N_{\text{MM}}^{\text{cap}}$, tells us that at least $N_{\text{MM}}^{\text{cap}}$ intruders will be captured. The upper bound on the intruder score is then given by

$$Q_{\text{MM}} = N_A - N_{\text{MM}}^{\text{cap}}.$$

The MM assignment can be found in polynomial time [15]. However, this method assumes that all defenders play independent games and ignores the possibility of cooperative 2v1 defenses.

Maximum Independent Set: Our prior work extended the above assignment method by incorporating the 2v1 games [17]. The bipartite graph is augmented with additional nodes representing pairs of defenders. To avoid conflicting assignments where a single defender is used in both 1v1 and 2v1 defense, an assignment method based on Maximum-Independent-Set (MIS) formulation was proposed. The upper bound from this method is denoted by Q_{MIS} , and we have $Q_{\text{MIS}} \leq Q_{\text{MM}}$. The downside of the MIS assignment strategy is its computational complexity (NP-hard), which motivates the derivation of a scalable defender team algorithm.

This paper proposes a polynomial-time algorithm with a score bound Q_{LG} that satisfies $Q_{\text{LG}} \leq Q_{\text{MIS}} \leq Q_{\text{MM}}$. In addition, while the above methods only provide upper bounds on the score, this paper discusses the optimality of the team strategy. This is done by also considering the lower bound on the score guaranteed by the intruder team.

IV. LOCAL GAME DECOMPOSITION

We describe a method to partition the game space into subregions where ‘‘local games’’ between n_D defenders and n_A intruders are played. This decomposition leads directly to an intruder team strategy and accompanying lower bound on the intruder’s score.

A. Local Game Region

We call the intruder winning region $\mathcal{R}_C(i, j)$ in the 2v1 game to be the *local game region* (LGR), and $\mathcal{R}_I(i, j)$ to be the *Independent-LGR* (I-LGR). These regions are generated by an ordered pair $\mathbf{D}_{\text{pair}} = (D_i, D_j)$, and we refer to D_i and D_j as the *right-* and *left-boundary defender*. In the degenerate




Fig. 3: (a) Boundaries of LGRs. The 7th region \mathcal{R}_C^7 with $\mathbf{D}_{\text{pair}}^7 = (D_4, D_3)$ is highlighted. The 7th subteams are $\mathcal{S}_D^7 = \{D_1, D_2\}$ and $\mathcal{S}_A^7 = \{A_2\}$. (b) Boundaries of I-LGRs. The 7th intruder subteam is $\hat{\mathcal{S}}_A^7 = \{A_1, A_2\}$.




Fig. 4: (a) Local intrusion strategy (arrows) for the subteam corresponding to the 21st LGR. The score is $q_{21} = 3 - 3 = 0$. (b) Optimal partitioning $\mathbf{G}^* = \{10, 11\}$ that guarantees the score $Q_{\text{LG}} = q_{10} + q_{11} = 2$.

case $i = j$ we set $\mathcal{R}_I(i, i) = \mathcal{R}_C(i, i) = \mathcal{R}_A(i)$. The total number of LGRs (or I-LGRs) is N_D^2 [17], and we use the superscripts $k \in \{1, \dots, N_D^2\}$ to enumerate them. We also use $\mathbf{D}_{\text{pair}}^k = (D_R^k, D_L^k)$ to denote the right- and left-boundary defenders of k th LGR (or I-LGR). Note the following properties that are straightforward to see (Fig. 3b):

Property 3. *The boundary of an I-LGR consists of the left barrier of D_R^k and the right barrier of D_L^k .*

Property 4. *The intersection of two I-LGRs is an I-LGR.*

We define the k th defender *sub-team*, \mathcal{S}_D^k , to be the subset of defenders that are on the ccw segment from $s_{D_R^k}$ to $s_{D_L^k}$ (excluding the boundary defenders). The intruder subteam \mathcal{S}_A^k is the set of intruders contained in \mathcal{R}_C^k , and $\hat{\mathcal{S}}_A^k$ denotes those contained in \mathcal{R}_I^k . See Fig. 3 for an example.

We use $n_D^k \triangleq |\mathcal{S}_D^k|$, $n_A^k \triangleq |\mathcal{S}_A^k|$, and $\hat{n}_A^k \triangleq |\hat{\mathcal{S}}_A^k|$ to denote the cardinality of the subteams. Since $\mathcal{R}_C^k \subseteq \mathcal{R}_I^k$, we have the relation $n_A^k \leq \hat{n}_A^k$. Also note that the difference $\Delta n_A^k \triangleq \hat{n}_A^k - n_A^k$ comes from the intruders inside $\mathcal{R}_{\text{pair}}^k$. We use the LGRs to construct the intruder team strategy and the lower bound on Q , whereas the I-LGRs will later be used in the defender team strategy.

B. Local Intrusion Strategy

By playing a 2v1 game against the boundary defenders, any intruder in \mathcal{R}_C^k has a strategy to win against all defenders except for those in \mathcal{S}_D^k . In other words, the intruders can play a local game that involves only \mathcal{S}_D^k and no other defenders.

Lemma 1 (Local game score). *Define $q_k \triangleq n_A^k - n_D^k$ to be the local game score (LGS). If $\exists k$ such that $q_k > 0$, then the intruder team can score at least q_k points.*

Proof. If the n_A^k intruders in \mathcal{R}_C^k all play the 2v1 game against (approach near the midpoint of) the boundary defenders $\mathbf{D}_{\text{pair}}^k$, then the defenders outside of this LGR cannot reach those intruders. This implies that at most n_D^k intruders are captured, since we assume that each defender can capture at most one. Hence, the remaining q_k intruders score. \square

Extending this idea to the entire team, the intruders can partition \mathbf{A} into disjoint sub-teams and play separate local games. The optimal partitioning is discussed next.

C. Guaranteed Total Score

We consider a partitioning of the intruder team based on LGRs. This approach is certainly not the only way to partition the team, but we later show in Sect. VI-C that it results in an optimal intruder performance. Let $\mathbf{G} \subset \{1, \dots, N_D^2\}$ denote a set of disjoint LGRs: i.e., $\mathcal{R}_C^k \cap \mathcal{R}_C^l = \emptyset$ for $k, l \in \mathbf{G}$. The set \mathbf{G} gives us a way to partition the intruders into $|\mathbf{G}|$ disjoint subteams.

Combining \mathbf{G} with the local intrusion strategy guarantees a lower bound Q_{low} on the overall score:

$$Q_{\text{low}}(\mathbf{G}) \triangleq \sum_{k \in \mathbf{G}} \max\{q_k, 0\}. \quad (5)$$

An optimal teaming \mathbf{G}^* for the intruder team is given by $\mathbf{G}^* \triangleq \arg \max_{\mathbf{G}} Q_{\text{low}}(\mathbf{G})$, and it gives the *guaranteed total score*:

$$Q_{\text{LG}} \triangleq Q_{\text{low}}(\mathbf{G}^*) = \max_{\mathbf{G}} \left(\sum_{k \in \mathbf{G}} \max\{q_k, 0\} \right). \quad (6)$$

Values for Q_{LG} and \mathbf{G}^* can be obtained in $O(N_D^4)$ time by recognizing (6) as an instance of the maximum weight independent set problem on a circular arc graph [17]. For applications where it is critical to avoid any intrusion, it is easy to test whether the intruders can guarantee a score of at least one: $Q_{\text{LG}} > 0 \Leftrightarrow \exists q_k > 0$.

We let Γ_A^* denote the intruder strategy corresponding to the teaming into \mathbf{G}^* and then playing the 2v1 game against the boundary defenders of the associated LGR.

Theorem 1. *The intruder team strategy Γ_A^* guarantees that the intruders score at least Q_{LG} defined in (6), i.e.,*

$$Q(\mathbf{z}_0; \Gamma_D, \Gamma_A^*) \geq Q_{\text{LG}}(\mathbf{z}_0), \quad \forall \Gamma_D \in U_D. \quad (7)$$

where U_D is the set of all permissible defender strategies.

Proof. Lemma 1 and the discussion above. \square

Now the question is whether the defenders can prevent the intruders from scoring any more than Q_{LG} – is it also an upper bound? We address this question in Sec. VI.

V. EXTENDED ENGAGEMENT TYPES

We discuss two additional types of engagements that our defense strategy in Sec. VI leverages: the *implicit assignment* and the *sequential paired defense*. The distinct feature of these engagements is the aspect of dynamically changing assignments which the existing MM and MIS approaches fail to capture.




Fig. 5: The implicit assignment structure. (a) Initial configuration where A_1 has 2v1 assignment, and A_2 is in the implicit assignment zone. (b) The structure is resolved into two 1v1 assignments (blue edges).

A. Implicit Assignment Structure

The first structure (i.e., a combination of configuration and assignment) is defined as follows:

Definition 1. *The implicit assignment structure is a two vs. two engagement where the defender pair is assigned to one intruder in $\mathcal{R}_{\text{pair}}(i, j)$, and the other intruder is in $\mathcal{R}_D(i) \cap \mathcal{R}_D(j)$, defined as the implicit assignment zone.*

See Fig 5a for an example. First note that MM assignment would ignore A_1 since it is not capturable by any individual defender. The MIS assignment chooses from assigning (i) the pair to A_1 , or (ii) one defender to A_2 (same as MM), but cannot have both because one of the defenders will have overlapping assignments. Importantly, the two choices are equally good in the MIS analysis since they both guarantee one capture. What MIS fails to see is that initially assigning the pair to A_1 is the optimal choice here, and in fact it leads to the capture of both intruders:

Lemma 2. *The implicit assignment structure turns into two 1v1 assignments before any intruder reaches the perimeter.*

Proof. From the 2v1 assignment against A_1 , D_i moves ccw and D_j moves cw. Under this movement, A_2 remains in $\mathcal{R}_D(i) \cap \mathcal{R}_D(j)$ because it cannot penetrate D_i 's left barrier nor D_j 's right barrier (Prop. 1). Before they meet at the midpoint, A_1 will move into either $\mathcal{R}_D(i)$ or $\mathcal{R}_D(j)$ (Prop. 2). Suppose without the loss of generality $\mathbf{x}_{A_1} \in \mathcal{R}_D(i)$, then A_2 will get 1v1 assignment to D_j . \square

We use the term ‘‘implicit’’ to highlight the fact that no defender is ‘‘explicitly’’ assigned to A_2 at this moment. Nevertheless, the greedy behavior against A_1 guarantees the capture of A_2 as well. The second structure is defined next.

B. Sequential Paired Defense Structure

Definition 2. *The sequential paired defense structure is an $n + 1$ vs. n engagement generated by n interrelated 2v1 games with overlapping defenders.*

Fig. 6a shows the simplest example of such configuration. Note that we are now considering an assignment that is prohibited in the MIS formulation; defender D_j has two 2v1 games assigned to it. Also note that, by definition, each defender pair can have at most one intruder assigned to it (otherwise, it will not be $n + 1$ vs. n). The key concept to analyze the success in this configuration is defined next:




Fig. 6: Sequential 2v1 structure with $n = 2$. (a) The defender D_j has two 2v1 assignments (blue edges), and cw motion is required for both. (b) The structure is resolved into two 1v1 assignments.

Definition 3. *The overlapping 2v1 assignments are **conflicting** if they require opposing (cw and ccw) direction of motion from any single defender.*

For example, D_j in Fig. 6a has non-conflicting assignments, because the two assignments both require cw motion. Despite the overlap, it can behave optimally for both A_1 and A_2 , which leads to the resolved configuration in Fig. 6b. We formally show in Sec. VI-B that the sequential paired defense leads to the capture of all intruders if they are non-conflicting.

C. Independent Local Game Score

Before we present our defense algorithm, we extend the concept of LGS defined for LGRs in Lemma 1 to I-LGRs. The *independent local game score* (I-LGS) is defined as

$$\hat{q}_k \triangleq \hat{n}_A^k - n_D^k = q_k + \Delta n_A^k, \quad (8)$$

where Δn_A^k is the number of intruders in the paired defense region $\mathcal{R}_{\text{pair}}^k$.

The local game score of $q_k = 0$ was a critical number in Sec. IV-C since it meant that any additional intruder in the LGR will immediately lead to a positive intruder score (Lemma 1). The I-LGS has another critical number: $\hat{q}_k = 1$. Unlike $q_k = 1$, this configuration does not immediately lead to intruder score; suppose $q_k \leq 0$ and $\hat{q}_k = 1$, then one intruder in $\mathcal{R}_{\text{pair}}^k$ can be captured by the pincer maneuver of the boundary defenders, and the rest may be captured by the defender subteam \mathcal{S}_D^k . What $\hat{q}_k = 1$ immediately tells us is that the boundary defenders (D_R^k, D_L^k) need to perform a pincer maneuver. Otherwise the intruder in $\mathcal{R}_{\text{pair}}^k$ can enter \mathcal{R}_C^k to achieve $q_k > 0$, which guarantees a score.

VI. THE LGR DEFENSE POLICY

This section presents the LGR defense policy and its performance guarantees. Combined with the intruder team strategy in Theorem 1, we will discuss the optimality of the strategy.

A. The LGR Defense Algorithm

The LGR defense strategy is presented in Algorithm 1. It is continuously run throughout the game to update the defender to intruder assignments that uniquely define each defender's direction of motion. As illustrated in Sec. V, the assignments will dynamically change as the game evolves in time.

First, Algorithm 2 removes/ignores intruders from the game to consider a virtual game with $Q_{\text{LG}} = 0$. The purpose

Algorithm 1 LGR Defense

- 1: Remove uncapturable intruders using Algorithm 2
- 2: **for** every time step **do**
- 3: Assign 2v1 defense using Algorithm 3
- 4: Assign 1v1 defense using Algorithm 4
- 5: **Return:** assignments (i.e., direction of motion)

Algorithm 2 Removal of Uncapturable Intruders

- 1: Initialize: $\mathbf{A}_{\text{rmv}} = \emptyset$, and $i = 1$
- 2: **while** $Q_{\text{LG}} > 0$ **do**
- 3: $Q_{\text{new}} \leftarrow$ compute Q_{LG} without $\{A_i, \mathbf{A}_{\text{rmv}}\}$
- 4: **if** $Q_{\text{new}} < Q_{\text{LG}}$ **then**
- 5: Append A_i to \mathbf{A}_{rmv}
- 6: $Q_{\text{LG}} \leftarrow Q_{\text{new}}$
- 7: $i \leftarrow i + 1$
- 8: **Return:** $\mathbf{A} \leftarrow \mathbf{A} \setminus \mathbf{A}_{\text{rmv}}$

is to ignore the intruders that cannot be captured, and make sure all other intruders will be captured. This algorithm needs to be run only once at the beginning of the game.

Then the cooperative 2v1 defense and the individual 1v1 defense are considered sequentially. In this paper, we restrict ourselves to the case when $\hat{q}_k \leq 1, \forall k$ after the removal of uncapturable intruders. The assignment of cooperative 2v1 games is presented in Algorithm 3.

The I-LGRs with $\hat{q} = 1$ are visited sequentially from the largest to the smallest in terms of the subteam size. In each iteration, one intruder in $\mathcal{R}_{\text{pair}}$ is assigned to the boundary defenders (line 5) regardless of whether the defenders already have other 2v1 assignments or not, which potentially generates the sequential paired defense structure. The indices saved in \mathbf{D}_{2v1} is sufficient to know which defender should perform a pincer movement with which pair. The already assigned intruders are removed from the computation of \hat{q} (line 7), and the while loop terminates when all the I-LGRs have $\hat{q} \leq 0$, which occurs in less than N_A iterations. Since the bottleneck in the while loop is the recalculation of \hat{q} 's which is $O(N_D^2 N_A)$, the time complexity of Algorithm 3 is $O(N_D^2 N_A^2)$.

When assigning 1v1 games, Algorithm 4 accounts for the implicit assignment structure. The implicit assignment is still applicable to the pairs in sequential paired defense structure, but with a restriction. Noting that each structure involves $n + 1$ defenders and n intruders, we can only consider one additional ‘‘implicit’’ assignment, otherwise there will be more intruders than the defenders. To guarantee capture, it is necessary and sufficient for the additional intruder to be in the implicit assignment zone of the outermost defender pair (e.g., (D_k, D_j) in Fig. 6). In summary, a 2v1 defender pair, $\mathbf{D}_{\text{pair}}^k$, can have an implicit assignment if D_R^k or D_L^k are not used in any other 2v1 defense that is associated to a larger I-LGR, i.e.,

$$n_D^k > n_D^m, \forall m \in \mathbf{D}_{2v1} \text{ s.t.}, \mathbf{D}_{\text{pair}}^m \cap \mathbf{D}_{\text{pair}}^k \neq \emptyset \quad (9)$$

The solution of the matching problem (line 9) only affects the behavior of the defenders in the set \mathbf{D}_{1v1} , but not the pairs in \mathbf{D}_{2v1} because the assignments are only ‘‘implicit’’ for

Algorithm 3 Assign 2v1 Defense

- 1: Initialize: $\mathbf{A}_{\text{assign}} = \emptyset$, $\mathbf{D}_{2v1} = \emptyset$, and $\mathbf{D}_{1v1} = \mathbf{D}$
- 2: **while** $\exists k$ s.t. $\hat{q}_k = 1$ **do**
- 3: $m \leftarrow \arg \max_k n_D^k$ for k s.t. $\hat{q}_k = 1$
- 4: $A_j \leftarrow$ select one intruder in $\mathcal{R}_{\text{pair}}^m$
- 5: Append A_j to $\mathbf{A}_{\text{assign}}$, and m to \mathbf{D}_{2v1}
- 6: Remove D_R^m and D_L^m from \mathbf{D}_{1v1}
- 7: Recompute \hat{q}_k for all k with $\mathbf{A} \setminus \mathbf{A}_{\text{assign}}$
- 8: **Return**: \mathbf{D}_{2v1} , \mathbf{D}_{1v1} and $\mathbf{A}_{\text{assign}}$

Algorithm 4 Assign 1v1 Defense

- 1: Inputs: $\mathbf{A}_{\text{assign}}$, \mathbf{D}_{2v1} , and \mathbf{D}_{1v1}
- 2: $\mathbf{A}_{1v1} \leftarrow \mathbf{A} \setminus \mathbf{A}_{\text{assign}}$
- 3: Initialize a bipartite graph with $\{\mathbf{D}_{1v1}, \mathbf{D}_{2v1}\}$ and \mathbf{A}_{1v1}
- 4: **for** k in \mathbf{D}_{2v1} **do**
- 5: **if** inequality in Eq. (9) is satisfied **then**
- 6: Draw edges to $\forall A_j$ s.t. $\mathbf{x}_{A_j} \in \mathcal{R}_D(D_R^k) \cap \mathcal{R}_D(D_L^k)$
- 7: **for** D_i in \mathbf{D}_{1v1} **do**
- 8: Draw edges to $\forall A_j$ s.t. $\mathbf{x}_{A_j} \in \mathcal{R}_D(D_i)$
- 9: Solve maximum matching and save the edges for \mathbf{D}_{1v1}
- 10: **Return**: 1v1 assignments (edges for \mathbf{D}_{1v1})

them. This is why we only return the edges for \mathbf{D}_{1v1} . The computational bottleneck in Algorithm 4 is the maximum matching, which is known to have efficient polynomial time algorithms [15]. Noting that $|\{\mathbf{D}_{1v1}, \mathbf{D}_{2v1}\}| \leq N_D$ and $|\mathbf{A}_{1v1}| \leq N_A$, the number of nodes in the bipartite graph is at most $N_D + N_A$, which leads to $O((N_A + N_D)^w)$ time with $w < 2.5$ [20].

An example of the assignments given by Algorithm 1 is shown in Figure 7a simulation results. Notice that a defender can have multiple 2v1 games assigned to it. Algorithm 3 generated the sequential paired defense structure involving D_1, D_2, D_3 and D_4 . After the 2v1 assignments, A_4 and A_5 are left for 1v1 assignments. The pair (D_1, D_4) is eligible for the implicit assignment, and only A_5 is in the implicit assignment zone. Therefore, the maximum matching in Algorithm 4 selects A_4 to be pursued by D_5 and leaves A_5 to be implicitly assigned to (D_1, D_4) . We will prove the performance guarantees in the remaining sections.

B. Performance Guarantees

This section proves that the LGR defense in Algorithm 1 guarantees the overall score to be zero if the game starts in a configuration with $Q_{LG}(\mathbf{z}_0) = 0$ and $\hat{q}_k(\mathbf{z}_0) \leq 1, \forall k$. We first provide instantaneous properties:

Lemma 3. *If $Q_{LG}(\mathbf{z}) = 0$ and $\hat{q}_k(\mathbf{z}) \leq 1, \forall k$, then all intruders are covered: i.e., every intruder has either (i) 1v1 assignment, (ii) 2v1 assignment, or (iii) implicit assignment.*

Proof. It suffices to show that, after Algorithm 3, the intruders without 2v1 assignment gets either 1v1 or implicit assignment. We use Hall's marriage theorem [19] to show that the maximum matching in Algorithm 4 covers all the intruders. For any subset $W \subseteq \mathbf{A}_{1v1}$, let $\mathcal{N}(W)$ denote the neighbor set: i.e., the subset of defenders that can capture at least one in W . Hall's theorem states that all intruders in \mathbf{A}_{1v1} are covered if $|W| \leq |\mathcal{N}(W)|$ for all $W \subseteq \mathbf{A}_{1v1}$.

For $|W| = 1$, it is easy to see by contradiction that every intruder has at least one edge: if an intruder has no edge, then the smallest I-LGR that contains it will have $\hat{q} \geq 1$, which contradicts the termination of Algorithm 3.

Now, suppose the inequality is true for $|W| = 1, \dots, n$. We will prove that the inequality is also true for $|W| = n + 1$, by considering two cases. First, if the bipartite graph can be separated into m connected components involving intruder subsets w_1, \dots, w_m , then we have $|\mathcal{N}(W)| = \sum_i^m |\mathcal{N}(w_i)|$ because the defender nodes for each subset w_i are disjoint. Since we have $|\mathcal{N}(w_i)| \geq |w_i|$ from the supposition that the inequality is true for $|w_i| \leq n$, we obtain $|\mathcal{N}(W)| \geq \sum_i^m |w_i| = |W|$. Second, if the bipartite graph is connected and $|\mathcal{N}(W)| \leq n$, there exists an I-LGR whose defender subteam is $\mathcal{N}(W)$ and the intruder subteam is W . Then this region has the score $\hat{q} \geq (n + 1) - n = 1$. Since this contradicts the termination of Algorithm 3, we obtain $|\mathcal{N}(W)| \geq n + 1 = |W|$.

With mathematical induction, we have shown that $|W| \leq |\mathcal{N}(W)|$ for $W \subseteq \mathbf{A}_{1v1}$ with any size. Therefore, maximum matching in Algorithm 4 covers all the intruders. \square

Lemma 4. *If $Q_{LG}(\mathbf{z}) = 0$ and $\hat{q}_k(\mathbf{z}) \leq 1, \forall k$, then the sequential paired defense structure generated by Algorithm 3 has no conflict (see Definition 3).*

Proof. For D_i to have conflicting 2v1 assignments, the following condition is necessary: D_i has two I-LGRs, l and r with $\hat{q}_l = \hat{q}_r = 1$, where $D_R^l = D_i$ and $D_L^r = D_i$. If D_i gets both assignments, then there is a conflict.

Consider $\mathcal{R}_I^m \triangleq \mathcal{R}_I(D_R^r, D_L^l)$, which contains both \mathcal{R}_I^l and \mathcal{R}_I^r . The score satisfies $\hat{q}_m \geq (n_D^l + 1) + (n_D^r + 1) - (n_D^l + n_D^r + 1) = 1$. We also know $Q_{LG} = 0 \Rightarrow q_m = 0$, implying that $\mathcal{R}_{\text{pair}}^m$ has at least one intruder to be assigned to $\mathbf{D}_{\text{pair}}^m$. Since this assignment reduces one intruder from either l or r , D_i only needs to perform 2v1 defense for one of the two: i.e., D_i does not get both assignments. \square

The above results are used to study how the assignments and scores evolve over time:

Lemma 5. *If initially $Q_{LG}(\mathbf{z}_0) = 0$ and $\hat{q}_k(\mathbf{z}_0) \leq 1, \forall k$, then the number of 2v1 assignments reduces over time, and the conditions $Q_{LG}(\mathbf{z}) = 0$ and $\hat{q}_k(\mathbf{z}) \leq 1, \forall k$ are preserved.*

Proof. By Lemma 4, each defender pair performs optimally against the assigned intruder. From Prop. 2, the intruder currently in $\mathcal{R}_{\text{pair}}$ moves into the defender winning region of one of the boundary defenders. Among all the 2v1 games, consider the one that achieves this transition first. During the transition, the intruder leaves an I-LGR that it was contained in (reducing its I-LGS from 1 to 0), but it does not enter any new I-LGR. Such transition guarantees that the scores q_k and \hat{q}_k are both non-increasing for all k (see Appendix in [22] for more details). We now have one less 2v1 games. Since the conditions for Lemma 4 are still true, similar transitions will repeat until there is no more 2v1 assignments. \square

Theorem 2. *If initially $Q_{LG}(\mathbf{z}_0) = 0$ and $\hat{q}_k(\mathbf{z}_0) \leq 1, \forall k$, then the LGR defense strategy (Algorithm 1) guarantees the overall score to be zero.*

Proof. Lemmas 2 and 5 show that the number of implicit assignments and 2v1 assignments reduces as the game evolves. Since the conditions $Q_{LG} = 0$ and $\hat{q} \leq 1$ are preserved throughout the game (Lemma 5), we can invoke Lemma 3 to conclude that every intruder gets 1v1 assignment before it reaches the perimeter. Therefore, no intruder can score. \square

C. Saddle-point Equilibrium

This section addresses a general case when the intruder team can guarantee non-zero score: $Q_{LG} > 0$. First, the following lemma shows that exactly Q_{LG} intruders need to be removed in Algorithm 2.

Lemma 6. *If $Q_{LG}(\mathbf{z}_0) > 0$, then there exists a set of $Q_{LG}(\mathbf{z}_0)$ intruders whose removal generates a new game with $Q_{LG} = 0$.*

Proof. When $Q_{LG}(\mathbf{z}_0) > 0$, one can show by contradiction that there exists at least one intruder whose removal reduces Q_{LG} by 1 (see Appendix in [22] for more details). After removing this intruder, the same argument holds if Q_{LG} is still positive. Repeating this process, the score reduces to zero after removing $Q_{LG}(\mathbf{z}_0)$ intruders. \square

Following the proof of Lemma 6, we can find the set \mathbf{A}_{rmv} in Algorithm 2 by visiting every intruder and asking whether it reduces Q_{LG} or not (Algorithm 2). Importantly, the answer remains the same whether Q_{LG} is already reduced or not. Therefore, each intruder is visited at most once; Algorithm 2 terminates within less than N_A iterations. Since the bottleneck in the while loop is the computation of Q_{LG} (line 3), the time complexity is $O(N_A N_D^4)$.

The main result is summarized in the following:

Theorem 3. *If initially $\hat{q}_k(\mathbf{z}_0) \leq 1, \forall k$ after removing intruders found by Algorithm 2, then the LGR defense policy Γ_D^* guarantees*

$$Q(\mathbf{z}_0; \Gamma_D^*, \Gamma_A) \leq Q_{LG}(\mathbf{z}_0), \forall \Gamma_A \in U_A, \quad (10)$$

where U_A is the set of all permissible intruder strategies.

Proof. From Lemma 6, ignoring $Q_{LG}(\mathbf{z}_0)$ intruders generates a virtual game with $Q_{LG} = 0$. All intruders in this virtual game are captured since the conditions for Theorem 2 are satisfied. In the original game, at most $Q_{LG}(\mathbf{z}_0)$ intruders that are ignored by the defenders can possibly score. \square

Finally, the combination of the strategy Γ_A^* from Theorem 1 and Γ_D^* from Theorem 3 gives us the following result:

Corollary 1. *If $\hat{q}_k(\mathbf{z}_0) \leq 1, \forall k$ after removing $Q_{LG}(\mathbf{z}_0)$ intruders found by Algorithm 2, then (2) is satisfied. That is, the strategy set (Γ_D^*, Γ_A^*) gives a saddle-point equilibrium, and the value of the game is $Q^*(\mathbf{z}_0) = Q_{LG}(\mathbf{z}_0)$.*

This result implies the optimality of the strategies in the following sense. If the intruders stick to Γ_A^* , then the defender team cannot reduce the score by changing their strategy from Γ_D^* . Similarly, if the defenders keep Γ_D^* , then the intruders cannot increase the score by changing their strategy from Γ_A^* .




Fig. 7: Simulation snapshots.

VII. SIMULATION RESULTS

A. Illustrative Example

Figure 7 shows snapshots from a six vs. five scenario (one defender is out of the frame) with $Q_{LG} = 0$ and $\hat{q}_k \leq 1, \forall k$. Since there is no region with $q_k > 0$, no team is formed among the intruders, and each plays an individually-optimal behavior against all the defender robots. Each snapshot highlights the moment when the sequential paired defense reduces into a smaller structure. From $t = 0.050$ s to 0.067 s, the transition is caused by A_3 moving into $\mathcal{R}_D(D_4)$. Intruder A_5 has an implicit assignment to the pair (D_1, D_2) . At $t = 0.080$, the implicit assignment structure is resolved, and now all the intruders have 1v1 assignments that guarantee perfect defense.

Note that the MM policy will treat A_1 as uncapturable and assign 1v1 defenses so that the other four defenders will be captured, resulting to $Q_{MM} = 1$. The only way, in this scenario, to guarantee capture of both A_1 and A_2 is for D_2 to perform two 2v1 defenses sequentially (with D_3 and then with D_1), and the LGR defense algorithm achieves this without any explicit look-ahead planning.

B. Statistical results

This section presents the difference between the expected performance of MM defense and LGR defense, measured by the upper bounds Q_{MM} and Q_{LG} . Since the scores are greatly affected by the initial configuration, we compute the average score from randomly generated initial configurations. To study the effect of initial distance of the intruders to the perimeter, we randomly select the azimuthal positions of the intruders for each distance. We test two cases for the defenders' initial configuration: (i) uniformly spaced, and (ii) randomly placed on the perimeter.

Figure 8a shows how the scores change as a function of the initial distance, where the target \mathcal{T} is a unit circle. The




Fig. 8: Score statistics with varying initial intruder distance, for uniformly (solid line) and randomly (dashed line) placed defenders. (a) Score upper-bound Q_{LG} . The lines indicate the mean, and the shaded area is the envelope containing min and max. (b) Suboptimality of the upper-bound Q_{MM} shown by the gap with Q_{LG} .

parameters are: $N_D = 40$, $N_A = 39$, $\nu = 1$, and 10,000 initial configurations are tested for each distance. The scores monotonically decrease as the intruders' starting distance increases and eventually converge to zero (not shown for clarity). These values represent upper bounds on the number of intrusions which LGR policy can certify at the beginning of a game, and so might also be used to inform higher level coalition forming algorithms as in [21].

Figure 8b shows the suboptimality of the bound Q_{MM} provided by the MM policy. The difference satisfies $Q_{MM} - Q_{LG} \geq 0$ because the LGR defense always performs at least as good as the MM policy. The difference is small at short distance because almost all intruders can trivially score. The difference increases with more opportunities for the cooperative 2v1 defenses, and it reduces again at larger distance since the easier configuration allows the MM to perform near optimal: i.e., defenders do not need to employ cooperative strategy to capture intruders.

The shaded envelope containing the maximum difference highlights the benefit of using the LGR defense policy. Consider, for example, the situation in which the intruders are detected at the distance 0.1 units from the perimeter, and suppose they can select the initial azimuthal positions. If the intruders select a formation possibly with the knowledge that the defenders employ MM strategy, the gap in the score can be as large as $Q_{MM} - Q_{LG} \approx 15$, which is significant given the score $Q_{LG} \approx 20 \pm 7$ at this distance.

The statistical results on the computation time are provided in Appendix in [22].

VIII. CONCLUSION

This paper presents a cooperative defense strategy for a variant of the multi-player reach-avoid game. The proposed LGR defense policy runs in polynomial time and outperforms the existing assignment-based policy. In fact, LGR defense performs optimally under certain conditions, where the performance is measured by the number of intruders that reaches the target. The improved performance compared to the maximum-matching formulation is due to the incorporation of cooperative defense, in which a pair of defenders pursue an intruder from both sides. The low computational complexity compared to a maximum-independent-set formulation is

achieved by the proposed decomposition method into local games.

There are various aspects to be addressed in the future work, including the extension to three dimensions, environments with obstacles, a distributed algorithm with relaxed assumptions on the information structure (e.g., local sensing and communication), and cooperative defense with heterogeneous teams.

ACKNOWLEDGMENT

The authors gratefully acknowledge useful discussions with Chris Kroninger at ARL and Ken Hayashima.

REFERENCES

- [1] S. R. Ganti and Y. Kim, "Implementation of detection and tracking mechanism for small UAS," *Int. Conf. UAS*, pp. 1254–1260, 2016.
- [2] N. Agmon, S. Kraus, and G. Kaminka, "Multi-robot perimeter patrol in adversarial settings," *IEEE Int. Conf. Rob. Autom. (ICRA)*, pp. 2339–2345, 2008.
- [3] A. J. Kerns, D. P. Shepard, J. A. Bhatti, and T. E. Humphreys, "Unmanned aircraft capture and control via GPS spoofing," *Journal of Field Robotics*, vol. 31, no. 4, pp. 617–636, 2014.
- [4] Isaacs, *Differential games: a mathematical theory with applications to warfare and pursuit, control and optimization.*, North Chelmsford, MA, USA: Courier Corporation, 1999.
- [5] E. Bakolas and P. Tsiotras, "Optimal pursuit of moving targets using dynamic Voronoi diagrams," *IEEE Conf. Decision Control (CDC)*, pp. 7431–7436, 2010.
- [6] A. Pierson, Z. Wang, and M. Schwager, "Intercepting rogue robots: An algorithm for capturing multiple evaders with multiple pursuers," *IEEE Rob. Autom. Lett.*, vol. 2, no. 2, pp. 530–537, 2017.
- [7] S. D. Bopardikar, F. Bullo, and J. P. Hespanha, "A cooperative homicidal chauffeur game," *Automatica*, vol. 45, no. 7, pp. 1771–1777, 2009.
- [8] P. Agharkar and F. Bullo, "Vehicle routing algorithms to intercept escaping targets," *Proc. Amer. Control Conf. (ACC)*, pp. 952–957, 2014.
- [9] I. Rusnak, "The lady, the bandits and the body guards - A two team dynamic game," *IFAC Proc. Vol.*, vol. 38, no. 1, 2005.
- [10] L. Liang, F. Deng, Z. Peng, X. Li, and W. Zha, "A differential game for cooperative target defense," *Automatica*, vol. 102, pp. 58–71, 2019.
- [11] E. Garcia, D. W. Casbeer, K. Pham, and M. Pachter, "Cooperative aircraft defense from an attacking missile," *J. Guid. Control Dyn.*, vol. 38, no. 8, pp. 1510–1520, 2015.
- [12] E. Garcia, D. W. Casbeer, A. Von Moll, and M. Pachter, "Cooperative two-pursuer one-evader blocking differential game," *Proc. Amer. Control Conf. (ACC)*, pp. 2702–2709, 2019.
- [13] H. Huang, J. Ding, W. Zhang, and C. J. Tomlin, "A differential game approach to planning in adversarial scenarios: A case study on capture-the-flag," *IEEE Int. Conf. Rob. Autom. (ICRA)*, pp. 1451–1456, 2011.
- [14] J. F. Fisac, M. Chen, C. J. Tomlin, and S. S. Sastry, "Reach-avoid problems with time-varying dynamics, targets and constraints," *Proc. 18th Int. Conf. Hybrid Sys. Comp. Control (ACM)*, pp. 11–20, 2015.
- [15] M. Chen, Z. Zhou, and C. J. Tomlin, "Multiplayer reach-avoid games via pairwise outcomes," *IEEE Trans. Autom. Control*, vol. 62, no. 3, pp. 1451–1457, 2017.
- [16] A. Von Moll, E. Garcia, D. W. Casbeer, M. Suresh and S. C. Swar, "Multiple pursuer single evader border defense differential game," *AIAA SciTech Forum*, pp. 1–18, 2019.
- [17] D. Shishika and V. Kumar, "Local-game decomposition for multiplayer perimeter-defense problem," *IEEE Conf. Decision Control (CDC)*, pp. 2093–2100, 2018.
- [18] D. Shishika and V. Kumar, "Perimeter-defense game on arbitrary convex shapes," arXiv:1909.03989, 2019.
- [19] P. Hall, "On representatives of subsets," *J. London Math. Soc.*, vol. 10, no. 1: pp. 26–30, 1935.
- [20] M. Mucha and P. Sankowski, "Maximum matchings via Gaussian elimination," *IEEE Symp. Found. Comp. Sci., (FOCS)*, pp. 248–255, 2004.
- [21] D. Shishika, M. R. Dorothy, J. Paulos, M. A. Hsieh and V. Kumar, "Team composition for perimeter defense with patrollers and defenders," *IEEE Conf. Decis. Control (CDC)*, 2019.
- [22] D. Shishika, J. Paulos and V. Kumar, "Cooperative team strategies for multi-player perimeter-defense games," arXiv:1912.04342, 2019.